



THE OFFICIAL NEWSMAGAZINE OF THE AMERICAN ACADEMY OF PEDIATRICS

# AAP News

Volume 35 • Number 8  
August 2014  
[www.aapnews.org](http://www.aapnews.org)

## Health Alerts

The U.S. Consumer Product Safety Commission (CPSC) has announced the recall of the following products. Consumers should stop using recalled products unless otherwise instructed. Consumers can submit reports of harm to CPSC's new searchable online product safety database at [www.SaferProducts.gov](http://www.SaferProducts.gov). A searchable food and medical product recall database is available at [www.fda.gov/Safety/Recalls/default.htm](http://www.fda.gov/Safety/Recalls/default.htm).

### Fireworks kits

**Units:** About 4,500 kits

**Hazard:** The shell can blow up in the tube during firing and hit or burn users and bystanders.

**Description:** Contraband 24 firework kits with canister shells and firing tubes are designed to be used multiple times. The shells are put into each tube and lit. The tubes in some kits may be too narrow to allow the shell to drop to the bottom of the tube when loaded. When fired, the shell can blow a hole in the tube. Each kit contains 24 shells with fuses attached and four fiberglass firing tubes with wooden bases.

**Sold at:** Pyro City and other fireworks retailers from February to June 2014 for about \$80.

**Remedy:** Return kits to the place of purchase for a refund.

**Contact:** Call 888-697-2217 or visit [www.wincofireworks.com](http://www.wincofireworks.com).

